

CHIME

PUBLICATIONS

1. Hunt CE and the CHIME Study Group: SIDS and subsequent siblings. *Pediatr* 1995; 95:430-432.
2. Silvestri, JM, Hufford, DR, Durham, J., Pearsall, SM, Oess, MA, Weese-Mayer, DE, Hunt, CE., Levenson, SM, Corwin, MJ, and the CHIME Study Group: Assessment of compliance of home cardiorespiratory monitoring in infants at risk for SIDS. *J. Pediatr* 1995; 127: 384-388.
3. Brooks LJ, DiFiore JM, Martin RJ, and The CHIME Study Group: Assessment of tidal volume over time in preterm infants using respiratory inductance plethysmography. *Pediatr Pulmonol* 1997; 23:429-433.
4. Crowell DH, Brooks LJ, Colton T, Corwin MJ, Hoppenbrouwers T, Hunt CE, Kapuniai LE, Lister G, Neuman MR, Peucker M, Ward SL, Weese-Mayer DE, Willinger M, and The CHIME Study Group: Infant polysomnography: Reliability. *Sleep* 1997; 20:553-560.
5. Corwin MJ, Lister G, Silvestri JM, Peucker M, Brooks LJ, Davidson Ward SL, Hunt CE, Neuman MR, Willinger M, Crowell DH, Colton T, and the CHIME Study Group: Agreement among raters in assessment of physiologic waveforms recorded by a cardiorespiratory monitor for home use. *Pediatr Res* 1998; 44:682-690.
6. Hunt CE, Corwin MJ, Lister G, Weese-Mayer DE, Peucker M, Neuman MR, Tinsley L, Baird TM, Keens TG, and The CHIME Study Group: Longitudinal assessment of hemoglobin oxygen saturation in healthy infants during the first six months of age. *J Pediatr*, 1999; 134:580-586.
7. Weese-Mayer DE, Corwin MJ, Peucker MR, DiFiore JM, Hufford DR, Tinsley LR, Neuman MR, Martin RJ, Brooks LJ, Davidson Ward SL, Lister G, Willinger, and the CHIME Study Group. Comparison of apnea identified by respiratory inductance plethysmography with that detected by end-tidal CO₂ or thermistor. *Am J Respir Crit Care Med* 2000; 162:471-480.
8. Ramanathan R, Corwin MJ, Hunt CE, Lister G, Tinsley L, Baird L, Silvestri JM, Crowell DH, Hufford D, Martin RJ, Neuman M, Weese-Mayer DM, Cupples LA, Peucker M, Willinger M, Keens TG, and The Collaborative Home Infant Monitoring Evaluation (CHIME) Study Group: Cardiorespiratory events recorded in the home: Comparison of healthy infant with those at increased risk for SIDS. *JAMA* 2001; 285:2199-2207.
9. Hunt CE, Durham J, Guess S, Kapuniai LE, Golub H, and the CHIME Study Group. Telephone subsidy is an effective incentive for successful participation in home memory monitor study. *Archives Ped Adolesc Med* 2001; 155:954-959.

10. Kulp TD, Corwin MJ, Brooks LB, Peucker M, Fabrikant G, Crowell DH, Hoppenbrouwers T, and the CHIME Study Group. The effect of epoch length and smoothing on infant sleep and waking state architecture for term infants at 42 to 46 weeks. *Sleep* 2000; 23:893-899.
11. Neuman MR, Watson HL, Mendenhall RS, Zoldak JT, DiFiore JM, Peucker M, Baird TM, Crowell DH, Hoppenbrouwers TT, Hufford D, Hunt CE, Corwin MJ, Tinsley LR, Weese-Mayer DE, Sackner MA, and The CHIME Study Group. Cardiopulmonary monitoring at home: The CHIME monitor. *Physiological Measurement* 2001; 22:267-286.
12. Zoldak JT, Watson HL, Bolduc DB, DiFiore JM, Mendenhall RS, Peucker M, Neuman MR, and the CHIME Study Group. An electronic simulator for testing infant apnea monitors that use realistic physiologic data. *Physiological Measurement* 2001; 22:N1-N12.
13. Ratliff-Schaub K, Hunt CE, Schafer SC, Baird T, Crowell D, Palmer P, Smok Pearsall S, Bak S, Cantey-Kiser J, and the CHIME Study Group. Relationship between infant sleep position and motor development in preterm infants. *J Develop Behav Pediatr* 2001;22:1-7.
14. Crowell DH, Kulp TD, Kapuniai LE, Hunt CE, Brooks L, Weese-Mayer DE, Silvestri J, Davidson Ward S, Corwin M, Tinsley LR, Peucker M. Infant polysomnography: Reliability and validity of infant arousal assessment. *J Clin Neurophysiol* 2002;19 (5):469-483.
15. Hunt CE, Baird T, Tinsley L, Palmer P, Ramanathan R, Crowell D, Schafer S, Martin R, Hufford DR, Corwin M, Peucker M, Bak S, Weese Mayer DE, Silvestri J, Neuman M, and the Collaborative Home Infant Monitoring Evaluation (CHIME) Study Group. The effect of cardiorespiratory events detected by home cardiorespiratory monitoring during infancy on neurodevelopmental outcome at one year of age. *J Pediatr* 2004;145:465-471.
16. Crowell DH, Tinsley L, Kapuniai L, Weese-Mayer DE, Silvestri J, DeFiore J, Davidson Ward S, Hunt CE, Corwin M, Willinger M, and the CHIME Study Group. Ontogeny of arousal. *J Clin Neurophysiol* 2004;21:290-300.
17. Sazonov E, Sazonova N, Schuckers S, Neuman M, and CHIME Study Group. Activity-based sleep-wake identification in infants. *Physiol Meas* 2004;25:1291-1304.
18. Silvestri JM, Lister G, Corwin MJ, Smok-Pearsall SM, Hunt CE, Baird TM, Crowell DH, Cantey-Kiser J, Tinsley LR, Palmer PH, Mendenhall RS, Hufford DR, Hoppenbrouwers TT, Neuman MR, Weese-Mayer DE, Willinger M, and The CHIME Study Group. Factors that influence use of a home cardiorespiratory for infants: The Collaborative home infant monitoring evaluation *Arch Pediatr Adolesc Med*, 2005; 159: 18-24
19. Hoppenbrouwers T, Hodgman, JE, Rybine D, Fabrikant G, Corwin M, Crowell D, Weese Mayer DE, and the CHIME Study Group. Sleep Architecture in term and Preterm infants Beyond the neonatal period: The Influence of Gestational Age, Steroids, and ventilatory support. *Sleep*: 2005; 11:1272-1280.

20. Lister G, Willinger M, Silvestri J, Hunt CE, Corwin M, Bak S, Keens T, Baird TM, Ramanathan R, Schafer S. Comprehensive analysis of detailed database in six infants dying suddenly and unexpectedly. In preparation.
21. Esani N, Hodgman JE, Esani N and Hoppenbrouwers T. Apparent Life Threatening Events (ALTE) and SIDS: Epidemiology. Submitted to J. Pediatrics.
22. Hoppenbrouwers T, Hodgman JE, Ramanathan A and Dorey F. Extreme and Conventional cardio-respiratory Events bear no relationship with Epidemiological SIDS Risk Factors, including Time of Night and Season. Submitted to J. Pediatrics

OTHER PUBLICATIONS

1. Crowell DH, Kapuniai LE, Hoppenbrouwers T, Brooks LJ, Neuman MR, Davidson Ward SL, Hunt CE, Weese-Mayer DE, Corwin MJ, Peucker MR, Lister G, Tinsley L, Silvestri JM, Willinger M, Pearce JW, and the CHIME Study Group. An Atlas of Infant Polysomnography. Parthenon Publishing/CRC Press, Boca Raton, 2003.

ABSTRACTS & PRESENTATIONS

1. Corwin M., Colton T., Neuman M., Baird T., Brooks L., Crowell, D., Tinsley L., Hoppenbrouwers T., Keens T., Davidson-Ward S., Ramanathan R., Hunt C., Hufford D., Lister G., Weese-Mayer D., Silvestri J., Willinger M., and CHIME: "The CHIME Pilot Study". *Pediatr Res* 37:389A, April, 1995.
2. Silvestri JM., Hufford D., Durham J., Pearsall SM., Oess MA., Weese-Mayer DE., Hunt C, Levenson SM., Corwin MJ. & CHIME. "Assessment of compliance with home cardio-respiratory monitoring in infants at risk for sudden infant death syndrome (SIDS). Society for *Pediatr Res* Annual Meeting, San Diego, 1995. *Pediatr Res* 37:144A, April, 1995
3. Silvestri JM, Corwin MJ, Tinsley L, Keens TG, Hunt CE, Baird TM, Lister G and CHIME. "Assessment of Sleep Position Among Infants at Risk of Sudden Infant Death Syndrome (SIDS). Society for *Pediatr Res* Annual Meeting, Washington, DC, May, 1996. *Pediatr Res* 36:113A, April, 1996.
4. Silvestri JM, Crowell DH, Peucker M, Ramanathan R, Hunt CE, Brooks LJ, Lister G, and CHIME. Successful Use of a Home Respiratory Inductance Plethysmography (RIP) Monitor in Infants at Risk of Sudden Infant Death Syndrome (SIDS). Society for *Pediatr Res* Annual Meeting, Washington, DC, May, 1996. *Pediatr Res* 36:141A, April, 1996.
5. Smok-Pearsall SM, Bak SM, Oess MA, Foster BA, Kunzman L, O'Bell RK, Schafer SC, Silvestri JM & CHIME: Assessment of risk factors among infants at increased SIDS risk. Presented at Fourth SIDS International Conference, Bethesda, Maryland, June 23-26, 1996.
6. Palmer PH, Kapuniai LE, Oess MA, O'Bell RK, Huffman AD, Levenson SM, Schafer SC,

Hoppenbrouwers T & CHIME: Profile of Caregivers at Risk for Non-use of the CHIME monitor. Presented at Fourth SIDS International Conference, Bethesda, Maryland, June 23-26, 1996.

7. Oess MA, Kapuniai LE, Palmer PH, O'Bell RK, Smok-Pearsall SM, Levenson SM, Schafer SC, Hunt CE & CHIME: Caregiver knowledge, confidence, and satisfaction related to CHIME monitor. Presented at Fourth SIDS International Conference, Bethesda, Maryland, June 23-26, 1996.
8. Corwin MJ, Neuman M, Silvestri JM, Crowell D, Davidson-Ward S, Brooks L, Hunt C, Lister G, Willinger M, & CHIME: Accuracy of apnea scoring with the CHIME monitor: Comparison to polysomnography. Presented at Fourth SIDS International Conference, Bethesda, Maryland, June 23-26, 1996.
9. Silvestri JM, Crowell DH, Peucker MR, Ramanathan R, Hunt CE, Brooks LJ, Lister G, Willinger M, & CHIME: Infants at-risk of Sudden Infant Death Syndrome (SIDS): Successful use of a home respiratory inductance plethysmography (RIP) monitor. Presented at Fourth SIDS International Conference, Bethesda, Maryland, June 23-26, 1996.
10. Hoppenbrouwers T., Neuman M., Corwin M., Silvestri J., Baird T., Crowell D., Hunt C., Sackner M., Lister G., Willinger M. & CHIME. Multivariable Cardiorespiratory Monitoring at Home: Collaborative Home Infant Monitoring Evaluation (CHIME). 18th Annual International IEEE Conference, Engineering in Medicine and Biology, Amsterdam, The Netherlands, November, 1996.
11. Silvestri JM, Mulvey KP, Corwin MJ, Tinsley L, Keens TG, Hunt CE, Baird TM, Lister & CHIME: Assessment of Sleep Position Over Time Among Infants At Risk of Sudden Infant Death Syndrome (SIDS) And Healthy Term Infants. Soc Pediatr Res, Washington, D.C., May, 1997. Pediatr Res 1997; 41:79A.
12. Neuman MR, Zoldak JT, Watson H, Hunt CE et al, and CHIME. Instrumentation for Home Cardiopulmonary Monitoring. Sixth International Conference on Fetal & Neonatal Physiological Measurement, Memphis, Tenn., October, 1997.
13. Hoppenbrouwers T, Ramanathan R, Corwin M, Hunt C, Martin R, Silvestri J, Tinsley L, Peucker M, Lister G, Willinger M, Keens T, and The CHIME Study Group. Preterm Infants at Home Have Prolonged Apnea with Obstruction and Associated Oxygen Desaturation. Annual Congress of the European Respiratory Society, Berlin, Germany, September 20-24, 1997.
14. Hunt CE, Corwin MJ, Peucker M, Weese-Mayer DE, Tinsley L, Keens TG, Lister G, Neuman MR, Baird TM, and The CHIME Study Group. Longitudinal assessment of oxygen saturation and sleep position in healthy term infants during the first 6 months of life. Soc Pediatr Res, Washington, D.C., May, 1997. Pediatr Res 1997; 41:199A.
15. Corwin MJ, Lister G, Silvestri J, Peucker M, Brooks L, Davidson Ward SL, Hunt CE, Neuman MR, Crowell DH, Colton T & CHIME: Inter-rater agreement in scoring home cardiorespiratory tracings. Soc Pediatr Res, Washington, D.C., May, 1997. Pediatr Res 1997; 41:301A.

16. Corwin MJ, Weese-Mayer DE, Neuman MR, Crowell D, Davidson Ward S, Brooks L, Hunt CE, Lister G, Willinger M, & CHIME: Apnea duration: Respiratory inductance plethysmography (RIP) and transthoracic impedance (TTI) pneumography vs. polysomnography (PSG). Soc Pediatr Res, Washington, D.C., May, 1997. *Pediatr Res* 1997; 41:301A.
17. Crowell DH, Brooks L, Colton T, Corwin M, Hoppenbrouwers T, Hunt C, Kapuniai L, Lister G, Neuman M, Peucker M, Davidson-Ward S, Weese-Mayer D, Willinger M, & CHIME. Infant Polysomnography: Reliability. Soc Sleep Res, American Sleep Disorders Assoc 11th Annual Meeting: San Francisco, June 10-15, 1997. *Sleep Res* 1997; 26:651.
18. Silvestri JM, Smok-Pearsall SM, Bak SM, Oess MA, Foster BA, Kunzman LA, O'Bell RK, Schafer SC & CHIME: Assessment of risk factors among infants at increased risk of Sudden Infant Death Syndrome (SIDS). Soc Pediatr Res, Washington, D.C., May, 1997. *Pediatr Res* 1997; 41:98A.
19. Ramanathan,R, CorwinMJ, Hunt CE, Martin RJ, Silvestri JM, Tinsley L, Peucker M, Lister G, Willinger M, Keens TG, and CHIME. Preterm Infants have Prolonged Apneas with Obstruction and Associated O₂ Desaturation at Home. *Pediatr Res* 1997; 41:171A.
20. Silvestri JM, Corwin M, Smok-Pearsall S, Zhang A, Baird T, Kapuniai L, Hunt C, Crowell D, Palmer P, Mendenhall R, Lister G, Willinger M, Hoppenbrouwers T, & CHIME. Ability to Predict a Family's Use of a Home Respiratory Inductance Plethysmography (RIP) Monitor. Ped Academic Soc, New Orleans,1998. *Pediatr Res* 1998; 43:119A.
21. Weese-Mayer D, Corwin M, DiFiore J, Martin R, Brooks L, Ward S, Tinsley L, Hufford D, Cabral H, and CHIME. Accuracy of the Respiratory Inductance Plethysmography Collaborative Home Infant Monitor Evaluation (CHIME) Monitor in Identifying Obstructed Breaths. *Pediatr Academic Soc, New Orleans, May, 1998. Pediatr Res* 1998; 43:90A.
22. Ratliff-Schaub K, Hunt CE, Schafer SC, Baird T, Crowell D, Palmer P, Smok-Pearsall S, Bak S, Cantey-Kiser J, & CHIME: Interaction Between Infant Sleep Position and Development at 56 Weeks Postconceptional Age (PCA). 5th SIDS International Conference, Rouen, France, April, 1998.
23. Hunt CE, Corwin MJ, Peucker M, Weese-Mayer DE, Tinsley L, Keens TG, Lister G, Neuman, MR, Baird, TM, & CHIME. Longitudinal Assessment of Oxygen Saturation in Healthy Term Infants During the First Six Months of Life. 5th SIDS International Conference, Rouen, France, April, 1998.
24. Ratliff-Schaub K, Hunt CE, Schafer S et al and The CHIME Study Group. Interaction between infant sleep position and development at 56 weeks postconceptional age (PCA). Soc Develop Behav Pediatr, 16th Annual Meeting, Cleveland, Sept., 1998.
25. Hunt CE and The CHIME Study Group. The CHIME study. SIDS Alliance Annual Conference, Orlando, FL, Nov., 1994.
26. Hunt CE and The CHIME Study Group: The CHIME Project. Ohio SIDS Assoc Annual Meeting, Columbus, OH, May 5, 1996.

27. Hunt CE and The CHIME Study Group: The Collaborative Home Infant Monitoring Evaluation (CHIME) Project. Michigan SIDS Alliance Annual Meeting. Detroit, MI, Nov., 1998.
28. Hunt CE and the CHIME Study Group: A characterization of infants at risk: Information from the Collaborative Home Infant Monitoring Evaluation (CHIME). Annenberg Center for Health Sciences 17th Annual Conference on Sleep Disorders in Infancy and Childhood, Palm Springs, Jan., 1999.
29. Hunt CH, Corwin MJ, and the CHIME Study Group: Cardiorespiratory events recorded in the home: Insights from the CHIME Study. Eighth Annual Conference, European Soc Prevention Infant Death, Jerusalem, May 30-June 3, 1999.
30. Hunt CE and the CHIME Study Group: Potential clinical applications of the CHIME home memory monitor. Eighth Annual Conference, European Soc Prevention Infant Death, Jerusalem, May 30-June 3, 1999.
31. Palmer P, Vasquez M, Valdovinos E, Banda A, Kunzman L, Corwin MJ, Hoppenbrouwers T, and the CHIME Study Group: Home monitoring of Hispanic immigrant families: a comparison of exit interview responses between more and less adherent families. Eighth Annual Conference, European Soc Prevention Infant Death, Jerusalem, May 30-June 3, 1999.
32. Crowell D, Kulp T, Kapuniai L, Hunt CE, Hoppenbrouwers T, Brooks L, Tinsley L, Silvestri J, Davidson Ward S, Corwin M, Golub H, Peucker M, Lister G, Willinger M, and the CHIME Study Group: Infant polysomnography: Arousal identification and scoring reliability. Eighth Annual Conference, European Soc Prevention Infant Death, Jerusalem, May 30-June 3, 1999.
33. Hoppenbrouwers T, Kulp T, Fabrikant G, Corwin M, Crowell D, Hufford D, Weese Mayer, and the CHIME Study Group. Preterm infants after reaching term age exhibit similar sleep patterns as infants born at term. 6th World Congress on Sleep Apnea, Sydney, April 2000.
34. Kulp TD, Corwin MJ, Peucker M, Fabrikant G, Brooks L, Crowell DH, Hoppenbrouwers T, and the CHIME Study Group. Smoothing of sleep and waking epochs in infants significantly alters observed sleep architecture. 6th World Congress on Sleep Apnea, Sydney, April 2000.
35. Hunt CE, Durham J, Guess S, and the CHIME Study Group. Telephone subsidy enhances participation of socio-economically disadvantaged families without telephones in Collaborative Home Infant Monitoring Evaluation (CHIME). Sixth SIDS International Conference, Auckland, New Zealand, Feb. 8-11, 2000.
36. Hunt CE, and the CHIME Study Group. Physiologic recordings in infants: What is normal? The SIDS Alliance 2000 National Conference, Salt Lake City, Utah, April, 2000.
37. Hunt CE, Durham J, Guess S, and the CHIME Study Group. Telephone subsidy enhances participation of socio-economically disadvantaged families without telephones

in Collaborative Home Infant Monitoring Evaluation (CHIME). Presented at Pediatric Academic Societies Annual Meeting (Poster Symposium), Boston, May, 2000. *Pediatr Res* 2000; 47:197A.

38. Hunt CE. Collaborative Home Infant Monitoring Evaluation (CHIME). European Society for the Prevention of Infant Death, Istanbul, Turkey, October, 2001.
39. Xu X, Schuckers SAC, Corwin MJ. Correlation of heart rate variability measurements in infants. *Ped Res* 2002; 51:41A.
40. Hunt CE, Baird T, Tinsley L et al and the CHIME Study Group. Cardiorespiratory events detected by home memory monitoring during early infancy and neurodevelopmental outcome at 1 year of age. VII SIDS International Conference, Florence, Italy. September, 2002.
41. Esani N, Hodgman JE and Hoppenbrouwers, T. Epidemiology of Apparent Life Threatening Events (ALTE) Differs From That of SIDS. Abstract presented at the Western Society of Pediatric Research, Carmel, California, February 2005
42. Tablizo MA, Hoppenbrouwers T, Chen ML, Liu X, Dorey F, Davidson Ward SL, Ramanathan R and Keens TG. Cardiorespiratory Events During Upper Respiratory Infections in Infants. Abstract presented at the American Thoracic Society Meeting, May 2005
43. Esani N, Hodgman JE and Hoppenbrouwers, T. Epidemiology of Apparent Life Threatening Events (ALTE) Differs From That of SIDS. Abstract presented at the Pediatric Academic Societies Meetings, May 2005, Washington, DC.
44. Hoppenbrouwers T, Hodgman JE, Ramanathan A, Liu, X and Dorey, F. Serious Cardio-respiratory Events are Unlikely To Be Precursors To SIDS. Paper accepted for publication at the Meeting of the Western Pediatric Society, Carmel, California, February, 2006